



Certificate of Compliance
*Concrete Pipe, Manhole and
Box Culvert Gaskets*

**TECH
NOTE**

To Whom It May Concern

January 1, 2019

This letter is to confirm that, for the following Series of gaskets:

TSS	SOC	Type C	O-Ring
SORT	SOCL	CF	

- All gasket physical properties conform to the material requirements of the applicable ASTM, CSA and Greenbook standards. Applicable standards are identified by the colored stripe (or lack of a stripe) around the periphery of the gasket, as outlined in the Chart on Page 2 of this certification.
- All gasket physical properties are measured in accordance with the test methods outlined in the appropriate standard(s).
- All splices meet the requirements outlined in the appropriate standard(s).
- Physical dimensions, including cut-length, cross-sectional width and cross-sectional height, are routinely measured for conformance to the specific dimensions of the gasket profile in question.

For plants certified under the *National Precast Concrete Association Quality Control Manual for Precast and Prestressed Concrete Plants*, we hereby confirm that Hamilton Kent maintains an ISO 9001-2015, third-party audited, Quality Management System. A copy of the current Certificates of Registration are attached.

Should you have any questions or require clarification, please do not hesitate to contact us.

Best Regards,

Jenny Wang

Quality \ Quality Systems Manager
416-675-9873 x28242



Certificate of Compliance
*Concrete Pipe, Manhole and
 Box Culvert Gaskets*

**TECH
 NOTE**

Colored Stripe on Periphery of Gaskets --->	<i>White or None</i>	<i>Blue*</i>	<i>Green</i>	<i>Orange</i>	<i>Yellow</i>
ASTM C443 (Standard)	X	O	O		
ASTM C443 (Oil Resistant)				X	O
ASTM C361 (Standard)		X			
ASTM C361 (Oil-Resistant)				X	O
ASTM C1619 Class A (Standard)		X			
ASTM C1619 Class B (Oil-Resistant)				X	O
ASTM C1619 Class C (Standard)	X	O	O		
ASTM C1619 Class D (Oil-Resistant)				X	O
ASTM C1619 Class E (Standard)		X			
ASTM C1677 (Standard)	X	O	O		
ASTM C1677 (Oil-Resistant)				X	O
ASTM C425			X		
California Greenbook (Standard)			X		
CSA A257.3 (Standard)	X	O	O		
CSA A257.3 (Oil-Resistant)				X	O

“X” and “O” indicate the applicable standard(s) for which a gasket will meet the required material properties for the application. “X” indicates the primary material of choice for the listed standard.
 * **Note:** O-ring gaskets provided to meet these specifications will not have a Blue stripe printed on them. They will have no stripe.



TEL: (800) 268 8479
 FAX: (888) 674 6960
 WEB: www.hamiltonkent.com
 E-MAIL: information@hamiltonkent.com

CERTIFICATE OF REGISTRATION

This is to certify that the management system of:

Hamilton Kent Inc.

Main Site: 77 Carlingview Drive, Toronto, Ontario, M9W 5E6, Canada
has been registered by Intertek as conforming to the requirements of:

ISO 9001:2015

This certificate is linked to the Main certificate No. 4393-4

The management system is applicable to:

Design, manufacturing, marketing and sales of elastomer seals, integrated rubber manhole frame and cover system, as well as marketing and distribution of butyl sealants and lubricants to the infrastructure industry; also manufacturing and sales of custom elastomer products for various industries.

Certificate Number:
4393-4B-03

Initial Certification Date:
02 February 2004

Date of Certification Decision:
06 December 2018

Issuing Date:
06 December 2018

Valid Until:
15 January 2022



Calin Moldovean
President, Business Assurance

Intertek Testing Services NA, Inc.,
900 Chelmsford Street,
Lowell, MA 01851.
USA.



CERTIFICATE OF REGISTRATION

This is to certify that the management system of:

Hamilton Kent LLC

Main Site: 740 Baxter Lane, Winchester, Tennessee, 37398, United States

has been registered by Intertek as conforming to the requirements of:

ISO 9001:2015

This certificate is linked to the Main certificate No. 4393-4

The management system is applicable to:

Manufacturing of elastomer seals to the infrastructure industry, as well as distribution of butyl sealants and lubricants to the infrastructure industry, and integrated rubber manhole frame and cover system.

Certificate Number:
4393-4A

Initial Certification Date:
02 February 2004

Date of Certification Decision:
06 December 2018

Issuing Date:
06 December 2018

Valid Until:
22 January 2022



A handwritten signature in black ink, appearing to read "Calin Moldovean".

Calin Moldovean
President, Business Assurance

Intertek Testing Services NA, Inc.,
900 Chelmsford Street,
Lowell, MA 01851.
USA.

